



PRECISION TESTING LABORATORIES, INC.

313 Hill Avenue, Nashville TN 37210

Phone 615-254-3401 Fax 615-254-3488

www.precisiontesting.com

3-Dec-10

PO#: 112024
Item: One (1) sample of fabric
Identification: 1.) EXP1922 Coyote Brown
 After 25 Household washes (by client)
 Lot # 223739
 Roll # 2

Purpose: Assessment of Antibacterial Finishes on Textile Material; AATCC 100-2004

Test Method	Organism	Contact Time	Percent Reduction
Unit of Measurement		Zero	24 Hours
Assessment of Antibacterial Finishes on Textile Material			
AATCC 100-2004			
CFU/ml			
	Staphylococcus aureus	1.9 x 10 ⁵	7.1 x 10 ³
	Klebsiella pneumoniae	3.2 x 10 ⁵	<1.0 x 10 ¹
Organisms Used:			
Staphylococcus aureus ATCC # 6538			
Klebsiella pneumoniae ATCC # 4352			

Additional Testing Information:

Sample Size: 40mm disc, 4 layers
 Culture Medium: Brain Heart Infusion Broth
 Inoculum Carrier: Sterile Saline
 Growth Medium: Nutrient Agar
 Neutralizer: Lethen Broth
 Sterilization: Autoclave
 Wetting Agent: Sterile water with Sterile Coat

I certify that the above tests under my supervision were performed in accordance with the specification test requirements and that the reported results are true, valid and applicable to the samples tested. I further certify that these samples were the only samples tested from the lot of end items identified above.

Signed: Suzanne Piispanen
 Suzanne Piispanen, VP Operations

Signed: Don G. Roney
 Don G. Roney, Laboratory Manager

This report is limited to and related only to the particular instrument, material or other subject to which it refers. These test results can not be compared to results obtained using different methods or under different conditions. No representation is made that similar articles will be of like quality. Neither Precision Testing Laboratories, Inc (hereinafter "Precision Testing") nor their officers, directors, managers or employees, shall be responsible for any loss or damage resulting directly or indirectly from any failure, error or omission in testing, or in the reporting of test results. Precision Testing has no controls, and assumes no responsibility for the tested product's functionality or use. Precision Testing's liability shall not exceed the fees paid for the testing reflected on this report. Precision Testing observes and maintains client confidentiality, and limits reproduction of this report, except in full, without prior approval of Precision Testing.